



PRODUCT CATALOG

NSH

CATALOG



BRAND STORY

NSH Is Mainly Engaged In The Research And Development, Production And Sales Of Film And Television Mobile Equipment, Providing Professional And Complete Shooting Solutions For Photography Practitioners.

Since Its Establishment In 2003, NSH Has Always Been Adhering To The Mission Of "MAKE SHOOTING EASIER" , And Has Constantly Innovated Its Technology And Processes In The Areas Of Jibs, Sliders, Dolly And Other Auxiliary Equipment To Provide Users With More Efficient And Accurate Solutions Through Strong Functional And Practical Products.

N-New: Innovation Is The Key, Continue To Develop And Innovate More Products, And Strictly Abide By The Quality;

S-Solutions: A One-Stop Solution For Photographers With Personalized And Versatile Solutions

H-Heartfelt: With Sincere And Enthusiastic Service, So That Each User To Buy Assured, Comfortable To Use!

NSH Hopes That Through Its Efforts, It Can Contribute To The High-Quality Development Of The Photography Industry And Promote The Development Of Photography Culture. NSH Is Also Looking Forward To Establishing A Long Lasting And Intimate Partnership With More Users, Exploring The New World Of Images Together, And Make Shooting Easier Together!



01

camera jib

03 Crane Jib

NS-8/9

E5

M5

7800

7700

7600

7500

6800/2800

Crane Accessories

02

Dolly

13 Dolly

X10

Quad Dolly

Turtle Base

Grip Kit

X5/X3/X1

Dolly Accessories





camera cart 03


25 Camera Cart

- Camera Cart
- PIONEER Car Rig
- Car Shooting Kit
- Electric Suction Cup
- ENGINEER 3-Axis Gimbal

camera track 05

40 Track

- Heavy Duty Track
- Lightweight Track



Slider 04

32 Slider

- Slider
- Ubangi
- Accessories
- NS-20
- NS-50

Other 06

43 Professional Accessories Film & TV Accessories

- Low Rocker Set /Shock Absorber
- Camera Doorway Dolly
- Riser
- Bowl
- Mitchell
- Euro Adapter
- Seat and Seat Arm
- Counterweight and Trolley



NS-CRANES

NS-8 HEAVY DUTY CAMERA CRANE JIB

NS-8 Crane Is The Industry Standard For Modular Systems, Drivable And Remote Cranes. It Is Versatile, Durable, And Offers Unmatched Ease Of Movement And Stability. Simple And Quick Build Makes The NS-8 The Perfect Tool




Rotatable Shot




Easy Transportation



Modularization



Matching Base



NS-9 HEAVY DUTY CAMERA CRANE JIB

The NS-9 Heavy Duty Camera Crane Jib Is A Professional Lightweight Modular Jib Arm For Remote Operation. It Can Be Disassembled Into Small 3m Jib And Extended To A Maximum Height Of 10m To Carry A 25kg Movie Camera. All Sizes Have A 30kg Load Capacity And Are Extremely Lightweight, Mobile And Designed For Safety. Considering The Convenience And Stability Of Transportation, It Can Be Mounted On A Heavy-Duty Tripod Or Used On A Base Trolley.



Easy Transportation



Wide Shooting Range




Maximum Load 25kg



Modularization



NC-E5



NC-E5 is an electric telescopic crane made of carbon fiber, with a maximum length of 5.7 meters and active compensation for more stable and smooth shooting. Payload 20kg, maximum speed 1.3m/s.



Extendable



Easy
Transportation



High-strength
aluminium alloy




European
adapter



NC-M5

NC-M5 is a telescopic, large crane designed with high-strength aluminum alloy integration, with a maximum length of 5.2 meters and a European style mounting base. The length can be easily adjusted without disassembling the counterweight, bidding farewell to complex debugging processes and easily handling various shooting scenes.



Extendable



Easy transportation



High-strength aluminium alloy



European adapter



Rotatable base



Adjustable damping



One-click shrink




NS-7800



The NS-7800 Is A Heavy-Duty, Stabilizing Jib That Is Primarily Used For Large, Heavy Cameras. With A Load Capacity Of Up To 60kg, It Can Be Used On All Kinds Of Dollys. The Rear Arm Is A Rocker-Adjustable Length, And The Front Arm Is A Manually Set Length.



Heavy Duty And Stable



Omni-Directional Shooting



High Strength Aluminum Alloy



Rear Extended

Retracted 35cm
Extended 94cm

Reach Extended


Retracted 133cm
Extended 184cm

Max Payload

Retracted 60kg
Extended 40kg



NS-7700



The NS-7700 Is A Lightweight, Stable, And Compact Jib Arm That Can Hold Up To 30kg Of Camera Weight. Whether On A Tripod Or A Dolly, The NS-7700 Stabilizes Itself, Providing Unmatched Convenience And Stability.



Easy Adjustment



Lightweight



High Strength Aluminum Alloy

NS-7600

The NS-7600 Is A Lightweight, Stable And Compact Jib Arm. Its Own Weight Provides Smooth Operation, And It Can Be Adapted To A Wide Range Of Photographic Equipment For Auxiliary Shooting, So You Can Freely Take Advantage Of It Even In Tight Spaces. It Is Easy To Transport, And One Transport Case Fits Completely.



Flexible And Lightweight



Compatible With A Wide Range Of Devices



Rear End Arm Extendable



NS-7500

The NS-7500 Is A Lightweight, Stable And Freely Adjustable Jib That Quickly Retracts In Length, Easily Fixing The Desired Working Length And Can Hold Up To 45kg Of Camera Weight. Length Of Up To 2 Meters Gives It An Extremely Long Shooting Range And Me-
et All The Requirements Needed For Shooting.



Fast Retraction



Steady And Compact



Easy Transportation



NS-2800

The NS-2800 Is A Lightweight, Stable, And Freely Parallel Arm That Can Be Quickly Extended To A Length. Easily Complete The Lenses You Need To Shoot, And Can Hold Up to 33kg Cameras. With A Length Of up To 3 Meters, It Has The Ability To Perform Exceptionally Well And Meet The Needs Of Shooting.



Quick Telescopic



Smooth / Compact



Convenient Transportation



Euro Adapter



NC-6800

The NC-6800 Is A Lightweight, Stable And Compact Jib Arm With A Load Capacity Of Up To 30kg And Is Compatible With A 100mm Pan-Tilt Tripod.

The Adjustable Length Of the Posterior Arm Is 72cm, And The Length Of the Forearm Is 125cm



High Strength Aluminum Alloy



Extendible



Adjustable



Rear End Damping



Front End Horizontal Adjustment



Left-Right Adjustment

JIB ARM ACCESSORIES

NH-2140



90-Degree Bracket Euro To Euro

NH-2405



Double Ended Euro Adapter

NS-J10



Shock Absorber

NS-5210



Vibration Isolator

NH-2153



Off-Set Euro To Bowl (35cm)

NH-2130



Off-Set Bracket Euro To Euro (35cm)

NH-2366/2



80mm Extension Tube (35cm)

NH-5131



Heavy Duty Tripod

NH-2126



Off-Set Euro to Mitchell 4 Way

NH-2121



Off-Set Euro to Mitchell 3 Way

NH-2376



Swivel Section Euro To Euro (41cm)

NH-5116



(75-119cm)



• 7800 Accessories Assembly Effect



• 7700 Accessories Assembly Effect

NC-X10

LIGHT CHASER



NC-X10

- Maximum Speed: 50 Kilometers Per Hour
- Can Be Disassembled And Assembled For Independent Use.
- With standard European adapter and expandable
- The dual shock absorption effect can be freely adjusted
- The Entire Vehicle Is Covered With Expansion Holes
- High-strength Aluminum Alloy Body Processed By CNC Integration Technology



Front-Wheel-Separation
Three-Wheel Electric Scooter



Separate Split Damping Adjustment Yaw tracking



Trailer Separation Towing Vehicle



Extremely High Scalability

NS-QUAD DOLLY

The NS-Quad Dolly Provides Front, Rear And 4-Wheel Inverted Steering, Removable Steering Rod.

-Folds Flat For Easy Transportation

-Removable Push Bar

-The NSH-Quad Dolly Offers Quick Mount Levelling Legs As

Well As Quick Release Pneumatic, Track Or Skateboard Wheels, Not Requiring Any Tools.

-Easily Fits Through Doorways (Only 74cm/29cm wide)


-Machined From High-Strength Aluminum Alloy




Dolly Is Used In Conjunction With A Jib



Track Wheels Mounted On Quad Dolly For Use On Tracks



Three Steering Systems Adapts



Adapts To Multiple Modes



Quick Tire Switching



NS-GRIP KIT

The NS-Grip Kit Is A Versatile Combination Product That Can Be Expanded With Many Functions When Combined With Various Sizes Of Legs, Wheels, And Stator Clamps. Compact, Lightweight, And Easy To Transport And Transfer, All Kits Are Made Of High-Strength Aluminum Alloy With A Hard Oxidized Surface For A Beautiful And Pressure-Resistant Appearance. Various Lengths Of Support Legs, Can Be Used With Jib Arm, With Riser And Off-Set Euro To Bowl, Can Be Changed To 3 Legs On The Ground To Use.



6061 Aluminum Alloy



Small Size And Lightweight



Versatile And Expandable



• Use With Riser And Off-Set Euro To Bowl



• Various Lengths Of Support Legs

• Use With Riser, Off-Set Euro To Bowl And Track



NS-DOLLY



NS-TURTLE BASE

360-Degree Retractable Support Legs, Can Be Fitted With 48.3 mm Clamps And Various Accessories Adaptable To A Wide Range Of Photographic Equipment To Make Your Work More Comfortable. High-Strength Aluminum Alloy Material, Lighter And High Payload.




Elaborate Processing



High Strength Aluminum Alloy



Sturdy and Durable



Multifunctional



Can Be Fitted With 48.3 mm Clamps And Various Accessories



The NSH-Turtle Base Is Compatible With All NSH Accessories, And The Platform Board Offers Plenty Of 3/8" Holes. Comes With A Fixed Mitchell Plate Accepting The Turnstile Mount On The Other Side.



NSH-Turtle Base With NSH Accessories Scenario Expansion Image.



• Turtle Base Used In Conjunction With Riser And Slider



• Turtle Base Used In Conjunction With Riser And Jib Arm



NS-X5 DOLLY

NS-X5 Is A New, Stable Quad Dolly, Provides Rear Wheel Steering, Removable Steering Rod, Can Be Adapted To NSH A Variety Of Photographic Equipment.

The NS-X5 Offers Quick Release Pneumatic Skateboard Wheels, Not Requiring Any Tools.



High Strength Aluminum Alloy



Adaptable To Multiple Modes



Foldable

Folds Flat For Easy Transportation

Removable Push Bar

Easily Passes Through Doorways

Lockable Steering For Perfect Straight Line Movement

Machined From High-Strength Aluminum Alloy

THREE ADVANTAGES OF CHOOSING THE X5



Rear Wheel Steering Available



Quick Release Pneumatic Or Skateboard Wheels



Multi-Hole Design

X5 COMBINATION SHOWCASE



NS-X1



Used For TV Series, Movies And Live Broadcast Shooting, The Whole Is Made Of Stainless Steel And Aluminum Alloy, Up To The Simultaneous Shooting Effect, Smooth Movement, Easy To Carry



High Strength Aluminum Alloy



Corrosion Resistant



Strong Vibration Damping Performance



NS-X3/X3S



The Whole Is Carved Out Of High Strength Aluminum Plate With 4*8 Skateboard Wheels, Which Can Be Used On Standard Or Curved 62cm/65cm Tracks(X3S/40CM). The Platform Comes With A Euro Adapter Or Turntable Mount That Can Be Attached Using Riser And Seats. Both Ends Of The Push Bar Can Be Attached Easily.



Euro Adapter



4*8 Skateboard Wheels



Expandable



SCENE DISPLAY



• Use With A Slider



• Use With Track, Jib Arm And Riser

DOLLY ACCESSORIES

SEAT

NH-1031



Dolly Seat

NH-1031/1



Dolly Seat (Excentric)

NH-1032



Backrest Seat

NH-1030



Seat With Seat Belt

NH-2211



Seat Arm Vertical 10cm

NH-2212



Seat Arm Vertical 20cm

NH-2213



Seat Arm Vertical 30cm

NH-2210



Seat Arm Combined 10cm

NH-2220



Seat Arm Combined 20cm

NH-2230



Seat Arm Combined 30cm

WHEELSET

NS-5407



Pneumatic Wheel

NS-5402



Track Wheel (1*2)

NS-7007/2



Skateboard Wheel (1*4)

NH-1520



Studio Wheel(M12)

NS-5124/1



Skateboard Wheel (1*8 Steering)

NS-5124



Skateboard Wheel (1*8 Straight)

NS-5123



Skateboard Wheel (1*6)

NS-5122



Skateboard Wheel (1*4)

NS-5125



Wheelset Cyan

NS-5125/1



Wheelset Black

NS-5125/2



Wheelset Orange

NH-1535



Track Wheel Connector (M10 Male Thread)

NS-5401



Connector Set

NH-1500



Grip Kit Base Plate (Euro Adapter)

NH-1500M



Grip Kit Base Plate (Mitchell)

NH-1500K



Grip Kit Base Plate (Clamp) (80mm)

NH-1509/2



Grip Kit Dolly Platform

NH-1508



Grip Kit Extension Leg (41 cm / 16") (Standard Track 62cm)

NH-1503



Grip Kit Extension Leg (31 cm / 12")

NH-1502



Grip Kit Extension Leg (21 cm / 8") (Narrow Track)

NH-1501



Grip Kit Extension Leg (12 cm)

NH-1506



31cm

Extension Leg For Scaffold Tube

NH-1505



21cm

Extension Leg For Scaffold Tube

NH-1507



Horizontal Connector For Scaffold Tube

NH-1524



Levelling Bolt With Pad

NH-1514



Push Bar For Grip Kit

NH-1521



Lamp Stand Adapter

◀ GRIP KIT

TURTLE BASE ▶

NH-1303



Turtle Base Leveling Device

NH-1310



Turtle Base Push Bar

NH-1309



Turtle Base Platform (Standard Track)

OTHER

NS-5405



Push Bar

NS-5408



Pull Bar

NS-5121



Push Bar (2 X M12 Handle Nuts)

NH-2318



Adjustable Riser (55-115cm)

NS-5404



Levelling Leg

NS-5003



Turnstile Mount

NH-5230



Camera Doorway Dolly

NH-2150



Ball Adapter (150mm)

NH-2130



Off-Set Bracket Euro To Euro, Long

NH-2151



Off-Set Euro To Bowl, Short

NH-2366/1



Extension Tube (15cm) With 2 Safety Screws

NS-5004



Euro Adapter Mount

NC-Z2



CAR SHOOTING SYSTEM

- Provided: Four Sucker At The Front And Rear
- Foldable Flat For Easy Transport
- The Universal Rod Can De Removed And Adjusted
- 6-inch Sucker For Fast-Key Adsorption
- 100MM/150MM Bowl Or Mitchell For Easy Adaptation
- Adjustable Locking Angle Device, Front And Rear Or Up And Down Height Adjustment
- Machined From High-Strength Aluminum Alloy



Rotation Control



Super Load-Bearing Capacity




Multi-Functional



Convenient Installation



Height Adjustment



NC-Z3

- Three Suction Cups, Front And Rear, Are Provided
- It Can Be Quickly Folded For Storage Or Unfolded For Use,
- Making It Convenient For Transportation.
- The Universal Arm Can Be Easily Disassembled And Reinstalled For Fixation.
- 6-Inch Suction Cup Can Be Quickly Attached By Pressing The Button.
- The 100MM Ball Bowl Or Mitchell Can Be Easily Adapted.
- It Can Be Adjusted Front-To-Back Or Up-And-Down, And Can Be Rotated To Fix The Angle.
- Machined From High-Strength Aluminum Alloy



NC-Z3



Multi-Angle Application



Multifunction



Easy Installation



CX-06



W-10



NC-Z3/1



NC-Z3/2

CX-10

- Provide a 10-Inch Electric Large Suction Cup
- Turn On For Quick Adsorption Installation
- The Quick-Install Board Can Be Easily Disassembled, Installed And Fixed.
- It Can Bear A Weight Of 50 Kilograms.
- The Angle Can Be Adjusted To 180°
- Machined From High-Strength Aluminum Alloy



NC-A3

The NC-A3 Three-axis Head is An Integrated Made Of Aerospace-Grade Alloy Through CNC, With A Load-Bearing Capacity Of Up To 25KG. Compatible With Mitchell /150mm Bowls. It Can Be Easily Adapted To 2-Axis, 3-axis And Can Be Easily Adapted To Any Angle . The Product Comes With Precise Scales And Dual Damping, Ensuring More Stable And Accurate Shooting



Flexible And Lightweight



Compatible With Various Devices



Multi-Angle




Convenient Adjustment





NC-A3



NS-CAMERA CART

NS-6900

Convenient Storage Organizer That Also Serves As A Mobile Workstation NS-6900 Multi-Functional Camera Cart For Professionals

Each Wheel Is Easy To Attach And Detach. Constructed Of High Strength Aluminum Alloy, Sealed Bearings And Pneumatic Tires. Easy Assembly And Disassembly Of Wheels Without Tools



Side Panel Can Be Opened



Multi-Hole Design




Expandable

NSH



Easy To Fold, Small Size,
Easy To Transport



Quick Button Design



Casters With Brake



• Ubangi Quad Dolly And Riser Combination Display



• Ubangi And 7800 Combination Display

NS-SLIDER

NS-SLIDER

Quiet, Smooth, High-Precision Rails

7 Rail Lengths Available

The Interchangeable Rails Are Drilled With 3/8" Holes 1" Apart,
Allowing Easy Accessory Attachment

Suitable For Tripods, Light Stands, Jib Arms And Other Various Equipment

The Euro Adapter Bracket Can Be Fitted With A Cushion In The Hole Position



Mitchell



Different Lengths



Suitable For All Kinds Of Equipment



• Use With A Quad Dolly



• Use With Jib Arm And Tripod



• Use With Light Stand



• Use With Levelling Leg

NS-UBangi

Quick And Easy Offset Settings, A Must-Have For Mobile Shooting
Dual Brake System And Reinforced Bearings For Anti-Scratch And Wear Resistance
Horizontal And Vertical Mounting, The End Can Be Mounted With Accessories



Easy Installation



Hard And Wear-Resistant



Highly Practical



Multiple Models Available



Vertical Use



SLIDER ACCESSORIES

BASE/CENTER

NH-2571



Mitchell Mount
With Spin

NH-2570



Mitchell Mount Fixed

NH-2580



Euro Adapter
Mount With Spin

NH-2421



Ubangi Slider Center
Components

END PART

NH-2411



Nose Mount

NH-2412



Nose Mount
(Mitchell)

NH-2413



Nose Mount
(Mitchell 4 Way)

NH-2414



Nose Mount
(150mm Bowl)

NH-2415



Nose Mount
(100mm Bowl)

NH-2402



Nose Mount
(Euro Clamp)

NH-2408



Single
Scaffold Adapter

NH-2407



Light Stand Adapter
(28mm)

NS-2409



Levelling Leg

NH-2590



Scaffold Tube Double
Mount, Adjustable Width

NH-2522



Standard End Mount

NH-2521



Flat End Mount

SIDE PLATE

NH-2585



Side Plate Large
(10cm)

NH-2586



Side Plate Medium
(8cm)

NH-2587



Side Plate Small
(5cm)

HEIGHT ADJUSTER

NH-2595



Height Adjuster (Ultra-High)

NH-2596



Height Adjuster (High)

NH-2597



Height Adjuster (Medium)

NH-2598



Height Adjuster (Low)

OTHER

NH-2114



150mm Bowl

NH-2113



100mm Bowl

NH-2160



Mitchell 4 Way Plate

NH-2165



Clamp Plate (80mm)

NH-2166



Mitchell Plate

NH-2592



50mm Scaffold On Wheel Connection Bolt

NH-2592/1



50mm Scaffold On Wheel Connection Bolt

NH-2591



Counterweight Rod

NH-2330



Riser

NH-2366/2



Extension Tube (35 Cm / 14") With 2 Safety Screws

NH-2131



Off-Set Bracket Euro To Euro Medium (25cm)

NH-2153



Off-Set Euro To 150mm Bowl Long (35cm)

NH-2140



90-Degree Bracket Euro To Euro

NH-2150



Ball Adapter



Slider Assembly Display



Slider Assembly Display



NSH

NS-20

CAMERA DOLLY WITH TRACK

With Numerous 3/8 Threaded Holes, ARRI Holes For
Expansion Of Various Types Of Accessories
150mm Bowl, 100mm Bowl, Mitchell Free Match
Free Height Adjustment Smooth Running And
Portable



Silent Wheels



Height Adjustable



Pipe Clamp(32-51CM)



Mitchell



CAMERA DOLLY WITH TRACK

NS-50

Integrated Refined Carriage, Aluminum Alloy Conduit, Strong Load-Bearing Capacity, Standard With 100mm Bowl Optional 150mm Bowl, Mitchell

The Rails Can Be Freely Spliced, Lengthened And Heightened.



Horizontal Scale



Quiet And Smooth



All-in-one Molding



Aluminum Alloy Tube



*Before Heightening

NS-TRACK



NS-HEAVY DUTY TRACK (40/62CM)

- Mounting On Standard Or Reinforced Pipe
- Premium Stainless Steel Tube Combination
- For Dolly And Jib Arm Operation
- Stable Under Heavy Load
- Foldable In Any Direction
- Replaceable End
- High Strength Machine Calibration



Foldable



High Strength Stainless Steel Use With Dolly And Jib Arm



Track Can Be Extended



NSH-Quad Dolly

NSH-Track

NSH-Track Connector

NSH-Camera Doorway Dolly

•Quad Dolly On The Track

NS-LIGHTWEIGHT TRACK

(62/65CM)

360-Degree Retractable Support Legs, Can Be Fitted With 48.3 mm Clamps And Various Accessories Adaptable To A Wide Range Of Photographic Equipment To Make Your Work More Comfortable.



High Strength Stainless Steel



Flexible Connector



Precision Joints

THREE FEATURES OF LIGHTWEIGHT TRACK




Precision Joints




Flexible Connector



Splice Seamless



Q-Track (65cm) Length 150cm/75cm/30° Curved Track (1/12 Round)
NS-QX-Track (65cm) Length 150cm/75cm/24° Curved Track (1/15 Round)




30° Curved Track (1/12) Standard Round,
Curved Track Width 65 Cm, Arbitrary Splicing.
NS-Lightweight Track Standard Round With An Outer
Diameter Of 700mm And An Inner Diameter Of 570mm.



NS-Accessories



Make/Shooting/Easier



NS-MODULAR EXTENDER



Buckle Adjustment



Bear heavy loads



Modularization

The Adjustment Range Of This Guide Rail Is 130-530mm(Center distance), The Total Length Of The Guide Rail Is 616mm, Equipped With Interchangeable Locking Knobs And Snap Adjustment Devices, Which Are Easy And Flexible To Operate



NH-2157



100mm Spare Bowl 100mm Mitchell



NS-CAMERA FLOOR PAN

Standard 150mm Bowl (100mm Bowl)



NS-5232/1



NS-5232

Size: 40*40*15cm

Weight: 5/kg



NS-CAMERA TILTING PLATE

Self-Locking Spindle Drive For Setting-Letss Adjustment In The Range Of 0 To 100



Self-Locking Function



Can Be Tilted 100 Degrees



Stepless Adjustment

NS-LOW ROCKER SET

Simple, Flexible Low Shot System

Camera Movement Can Be Performed Close To The Ground.

Excellent Handling And High Hardness Surface Coating.



Simple And Flexible



Low Angle Shot



Good Shooting Performance

Front

Side



NS-5117



NS-5118



NS-J10 SHOCK ABSORBER

NS-J10 Shock Absorber Is A Newly Developed Shock Absorbing Product According To The Needs Of Customers, Which Is Processed By High Strength Alloy, With Good Shock Absorbing Performance, Quick Installation, Wear-Resisting Surface Of The Whole Set Of Products, Corrosion Resistance And Exquisite Appearance. The Product Can Be Installed In A Variety Of Jib Arm Use, By The Majority Of Customers Favorite.



Good Shock Absorption Performance



High Precision



Wide Range Of Adaptability



Shock absorber




JIB Connector

Machined From High-Strength Alloy
 Good Shock Absorption Performance
 Simple And Practical
 Corrosion Resistant
 Can Be Mounted On A Variety Of Jib Arms



150mm Bowl Connector



Flight Case



For Mitchell Connection



For Jib Arm Connector



For 150mm Bowl Connection



NH-5101 NH-5101/1
 Mitchell Nut



NH-5102
 For 150mm Bowl Frisbee Plate



NH-5103
 For Jib Arm Connection

NS-VIBRATION ISOLATOR

Relieves Remote Head Vibration And Lens Shake During Fast Motion
 Payload 50kg



High Payload



Adapted to Mitchell



Adjustable Cushioning Force

VIBRATION ISOLATOR



NS-5210



Weight
 9.5kg

NS-CAMERA DOORWAY DOLLY

Made Of High-Strength Aluminum Alloy By High-Precision CNC Engraving

Hard And Abrasion-Resistant Surface Coating

Easy To Use, Convenient And Smooth Running

Can Be Used With All Kinds Of PV Carts And

Dollies

Can Be Used For Tracks Between 62-65cm

- Camera Doorway Dolly for use with Quad Dolly and Track



High Strength Aluminum Alloy



Hard And Wear-Resistant



Can Be Used With A Variety Of Camera Dollies



NS-WHEEL BASE FOR TRIPOD

Made Of High-Strength Aluminum Alloy

By High-Precision CNC Engraving

Hard And Abrasion-Resistant Surface Coating

Easy To Use, Convenient And Smooth Running



NS-HANGING JIB

- Use with a rocker arm can rotate 360 degrees. The length of the arm can be adjusted according to the usage scenario.
- It is simple, fast and convenient to use.





Multifarious



High Payload



Highly Versatile



• Risers Can Be Used With Nsh Turtle Base And Other Accessories

ADJUSTABLE RISER

Adjustable Height Of Riser For Easy Storage



CRANKED RISER

The Height Of The Riser Can Be Adjusted By Hand Cranking.
Riser Height 58-91cm



ADJUSTABLE ANGLE RISER



RISER

Exquisite Craftsmanship, Wear-Resistant And Durable
A Variety Of Styles To Choose From, Suitable For A Variety Of Photographic Equipment



BOWL MOUNTS

NH-2100



Ball Adapter 100mm

NH-2150



Ball Adapter 150mm

NH-2150/1



Mitchell On Euro Adapter

OPTIONAL ACCESSORIES

NH-2113



100 mm Spare Bowl

NH-2114



150 mm Spare Bowl

NH-2166



Mitchell

NH-2109



Euro Adapter Plate

NH-2167



Mitchell Plate (male)

NH-2109/1



Female Euro Clamp Plate

NH-2160



Mitchell 4 Way Plate

NH-2122



Cheese Plate

NH-2118



Adapter Ring Flat
(100-75mm)

NH-2110



Adapter Ring Flat
(150-100mm)

OFF-SET EURO TO BOWL

NH-2151



150mm Short
(18cm)

NH-2152



150mm Medium
(25cm)

NH-2153



150mm Long
(35cm)

NH-2154



150mm Extra Long
(50cm)

ROTATING BRAKE OFF-SET EURO TO BOWL

NH-2161



150mm Bowl, Short
(18cm)

NH-2162



150mm Bowl, Medium
(25cm)

NH-2163



150mm Bowl, Long
(35cm)

NH-2164



150mm Bowl, Extra Long
(35cm)

OFF-SET BRACKET EURO TO EURO EXTENSION TUBE

NH-2132



Off-Set Bracket
Euro To Euro, Short (18cm)

NH-2131



Off-Set Bracket
Euro To Euro, Medium (25cm)

NH-2130



Off-Set Bracket
Euro To Euro, Long (35cm)

NH-2366/1



Extension Tube
(15cm)

NH-2366/2



Extension Tube
(35cm)

NH-2366/3



Extension Tube
(73cm)

NH-2362



Tube Connector

NH-2360



Extension Tube Screw Lock Handle

NH-2364



Safety Screw For Extension Tube

NH-1050



Extension tube to seat connection

《NSH ACCESSORY COMBINATIONS》



MITCHELL BOWL ADAPTER

NH-2120



Mitchell 3 Way Leveller

NH-2150/1



Mitchell On Euro Adapter

NH-2166



Mitchell Plate

OFF-SET EURO TO MITCHELL 3/4 WAY

NH-2125



Short (18cm)

NH-2124



Medium (25cm)

NH-2121



Long (35cm)

NH-2128



Short (18cm)

NH-2127



Medium (25cm)

NH-2126



Long (35cm)

MITCHELL RISER

NH-2304



Mitchell Riser (10cm)

NH-2306



Mitchell Riser (15cm)

NH-2308



Mitchell Riser (20cm)

NH-2392



Mitchell Riser HD (15cm)

NH-2393



Mitchell Riser HD (30cm)

NH-2394



Mitchell Riser HD (45cm)

MITCHELL ROTATING BRAKE 3/4 WAY

NH-2125/1



Short (18cm)

NH-2124/1



Medium (25cm)

NH-2121/1



Long (35cm)

Mitchell Rotating
Brake 3 Way

NH-2128/1



Short (18cm)

NH-2127/1



Medium (25cm)

NH-2126/1



Long (35cm)

Mitchell Rotating
Brake 4 Way

MITCHELL ACCESSORIES

NH-2384



Euro Adapter To Mitchell Plate

NH-2117



150 mm Bowl On Mitchell Adapter

NH-2142



90-Degree Bracket Euro

NH-2159



Off-Set Connected 4 Way

NH-2160



Mitchell 4 Way On Euro Adapter

NH-2141



90-Degree Bracket
Mitchell To Mitchell

MITCHELL TOOL

NH-2447



Mitchell Wrench

NH-2446



Mitchell Locking Tool

OFF-SET EURO TO MITCHELL

NH-2151/1



Off-Set Euro To
Mitchell Short (18cm)

NH-2152/1



Off-Set Euro To
Mitchell Medium (25cm)

NH-2153/1



Off-Set Euro To
Mitchell Long (35cm)

NH-2154/1



Off-Set Euro To
Mitchell Ultra-Long (50cm)

NS-EURO ADAPTER

EURO ADAPTER

NH-2217



Euro Adapter On Seat Pin

NH-2369



Euro Adapter For Extension Tube

NH-2405



Double Ended Euro Adapter

NH-2111



Safety Plate For Euro Adapter

NS-5004



Euro Adapter Mount

NH-2358



Euro Adapter With Bracing Brackets

NH-2218



Euro Adapter (Boltable From Bottom With 1 Bolt)

NH-2219



Euro Adapter (Boltable From The Top By 3 Bolts)

NH-2260



Junior Pin On Euro Adapter (28mm)

NH-2359



Seat Pin On Euro A Adapter (25mm)

NH-2410



Rotate the Euro head

NH-2140



90-Degree Bracket Euro

NH-2217/1



Euro to Junior Pin(28mm)

NH-2217/2



RS To Junior Pin (28 mm)

NH-2358



Ratchet Strap For Bracing Bracket



Showcase

TUBE CLAMP ACCESSORIES

NH-2215



Euro Adapter For Scaffold Tube

NH-2216



Paddle Mount (Without Clamps)

NH-2216/1



Paddle Mount With Euro Adapter

NH-2214



Scaffold / Speedrail (42-51 Mm) On M12

NH-2216/2



Paddle Mount With Euro Clamp (42-51mm)

NH-2215/1



Euro Adapter For Scaffold Tube (40-50mm)

NH-2368



Paddle Mount With Euro Adapter

NH-2440



Scaffold Tube (48 mm / 1-1/2") On Mitchell Plate (48mm)

NH-2441



Scaffold Tube (48 mm / 1-1/2") On Euro Mount

TRIPOD ADAPTER

NH-2380



Tripod Adapter (150 mm)
With 3/8" Screw And Euro Adapter

NH-2381



Tripod Adapter (150 mm)
With 3/8" Screw

NH-2382



Flat Base Tripod Adapter
(150/100 mm) With Euro Adapter

NH-2384



Euro Adapter To
Mitchell Plate

SWIVEL

NH-2389/1



Swivel Section Euro To
Mitchell 4 Way (41cm)

NH-2389



Swivel Section Euro To
Mitchell 4 Way (29cm)

NH-2378



Swivel Section Euro To
150mm Bowl (41cm)

NH-2379



Swivel Section Euro To
150mm Bowl (29cm)

NH-2376



Swivel Section Euro
To Euro, Long (41cm)

NH-2377



Swivel Section Euro
To Euro, Long (23cm)

NS-7005/2



Swivel Section
Multifunctional Arm

NH-2388



Swivel Section Euro
To Euro, Short (29cm)

NS-7005/1



Multifunctional Arm
For Turnstile Mount

NH-2370



Off-Set Euro Extension

NH-2390



Swivel Section Euro To Euro

NH-2313



Euro Riser 13 cm / 5"
With Scaffold Clamp

NH-2361



Euro Riser 13 cm / 5"
With Scaffold Clamp

NH-2363



Connector For Counterweight
Rod On Euro Adapter (M12)

NH-2363/1



Connector For Counterweight
Rod On Euro Adapter (M12)

ADJUSTABLE SET SCREW & LOCK LATCH & LOCATING PIN



Adjustable Set Screw



Lock Latch



Locating Pin

NS-SEAT AND SEAT ARM

NH-1031



Dolly Seat

NH-1031/1



Dolly Seat (Excentric)

NH-1032



Backrest Seat

NH-1030



Crane Seat With
Seat Belt

NH-2211



Seat Arm Vertical
10cm

NH-2212



Seat Arm Vertical
20cm

NH-2213



Seat Arm Vertical
30cm

NH-2210



Seat Arm Combined
10cm

NH-2220



Seat Arm Combined
20cm

NH-2230



Seat Arm Combined
30cm

NH-2240



Connection Pin
25 To 25 mm

NH-2240/1



Connection Pin
25 To 28 mm

NH-2240/2



Connection Pin 25 mm
(With Locking Screw)

NH-2240/3



Connection Pin 25
mm (Short) To
28 mm (Euro On Light Stand)

NH-2240/4



Connection Pin 25
mm (Short) To
28 mm

NS-COUNTERWEIGHTS AND TROLLEYS

NH-1011



1011-Counterweight
Trolley

NH-1010



1010-Counterweight
Transportation Frame

NH-1001



Steel Counterweight
4.2/kg(120mm)

NH-1002



Steel Counterweight
10/kg(120mm)

NH-2403



Round
Counterweight
12/kg

NH-2403/1



Round
Counterweight
6/kg

NH-1005



Cast Iron Counterweight
14.2/kg(130mm)




Counterweight Crane Jib
And Tripod Combination

车拍系统

NC-Z2





NSH

MAKE SHOOTING EASIER

✉ nsh@jxxsh.com

www.jxxsh.com

